



Made in Italy



General technical info

Power supply	400 50 3	Volt Hz Phase
Motor power	7,5	kW (hp)
Motor speed	30 ÷ 1500	rpm
Acoustic emission	75	dB
Overall dimension (Width x Depth x Height)	1560 x 1460 x H. 1000	mm
Weight standard machine	1050	kg

• Polisher - Buffer unit

Brush maximum external size	ø 960	mm
Motor shaft diameter	ø 45	mm
Brush maximum wide size	100	mm
Peripheral speed	variable	m/sec

Standard Equipments



Machine respect CE stamp of compliance

- Machine with CE conformity mark made respecting the requirements of the most recent directives concerning it.
- Machine complete with instruction manual complete with CE conformity certificate, test sheet and exploded view with relative spare parts list.
- Machine equipped with a set of service keys suitable for the adjustment and maintenance of the machine.



Guarantee of European standards

The stringent tests guarantee that all the requisites and standards necessary to obtain the guarantee in accordance with European standards are respected. Since the project we dedicate a lot of care and attention to making the machine with high quality level to deliver machines that last over time.

Technical general information

- Possibility to have the cleaner on the right or left on request.
- Brush spacers, centering flanges and tightening nuts.
- Inverter for the electronic regulation of the motor revolutions from 30 ÷ 1.500 revolutions.
- Display for reading the engine revolutions.
- Brush ignition and acceleration controlled with "soft start" adjustment.
- Adjustable cleaner casing according to the brush diameter.
- Carter cleaner with predisposition for connection of suction system Ø120 mm.

Technical modification

This product data sheet does not constitute a contractual obligation.
We reserve the right to modify and/or improve our machines without prior notice.
Some photographs and illustrations are purely demonstrative and may differ from the real ones.