

Pneumatic portable bevelling machine



Made in Italy



ART. 41		SMUSSATRICE PORT. PNEUMATICA "MINI" PORTABLE PNEUMATIC CHAMFERING MAC. CHANFREINEUSE PORTAT. PNEUMATIQUE PNEUMATISCHE KANTENFRÄSMASCHINE					
							
Bar 6 Lt/1' 200							
kW	Rpm	Rpm'	dB	G	F	kg	
0,11	20000	12000	70	Ø50	170	0,8	
							
Ø mm		Z		Sm		J°	
10		3		0+1		45°	

General technical info

Max pressure Air consumption	6 200	bar l/min
Motor speed	20.000	rpm
Acoustic emission	70	dB
Overall dimension (Width x Depth x Height)	140 x ø 18	mm
Weight standard machine	0,8	kg

• Chamfer - bevel unit

Bevel dimension (diagonal)	0 ÷ 1	mm
Bevel angle	45	°
Milling cutter diameter	ø 10	mm
Brazed cutter quantity per milling cutter	3	No.
Dimension of support plane	ø 50	mm

Standard Equipments



Machine respect CE stamp of compliance

- Machine with CE conformity mark made respecting the requirements of the most recent directives concerning it.
- Machine complete with instruction manual complete with CE conformity certificate, test sheet and exploded view with relative spare parts list.
- Machine equipped with a set of service keys suitable for the adjustment and maintenance of the machine.



Guarantee of European standards

The stringent tests guarantee that all the requisites and standards necessary to obtain the guarantee in accordance with European standards are respected. Since the project we dedicate a lot of care and attention to making the machine with high quality level to deliver machines that last over time.

Technical general information

- Hardened beveling table.
- Micrometric ring for cutting depth adjustment.
- Air hose with quick coupling / uncoupling.
- Engine lubricant container.
- Three-flute cutter with bearing mounted on the machine ready to use.

Technical modification

This product data sheet does not constitute a contractual obligation.

We reserve the right to modify and/or improve our machines without prior notice.

Some photographs and illustrations are purely demonstrative and may differ from the real ones.